

WH63 Datasheet



Excellent Work Partner for Phone and UC Communication

The Yealink WH63 is a new entry-level convertible DECT wireless headset. Work seamlessly with major UC platforms and integrate natively with Yealink IP Phones. For a crystal sound experience, Yealink Super Wideband HD Audio Technology and Acoustic Shield Technology make you talk and hear clearly during phone calls and video conferencing. Easily finger-touch control, 19 g lightweight design, interruption-free, WH63 is a nice convertible headset for work.



Acoustic Shield
Technology



Optima Audio
Experience



Four Wearing
Options



Built-in Ringer



Multiple Devices
Connection



Customizable
Busylight



Easy Management



Plug and Play

Key Features

- [USB Connection](#)
- [Ringer on the base](#)
- [Supports busylight](#)
- [Yealink Acoustic Shield Technology](#)
- [Teams and Skype for Business compatible](#)
- [Talking Time up to 7h](#)
- [Wireless range up to 120 m](#)



WH63 Teams
WH63 UC

Native Integration

No more EHS adapters are needed, connect desk phones directly with one USB cable. And 2 Micro USB ports contained in the base, supporting connecting with PC and phone simultaneously. Integrated deeply with Yealink IP Phones, you can just feel the crystal call experience at the moment of wearing WH63. Also work with popular UC platforms, achieving all-around collaboration.

Be Heard Crystal Clearly

With Yealink Acoustic Shield Technology, the two Microphones built in WH63 block the background noise automatically but ensure participant's voice be heard clearly, greatly boosting the communication efficiency.

Interruption Free

Busylight is enabled in WH63. With the light on the headset or BLT60 on the desk turning red, people around you would know that you are on the phone, instead of interrupting you unknowingly. Just stay focused on conversation, for higher efficiency, for better collaboration.

Multiple wearing options


WH63 supports different ways of wearing, ear-hooks, headbands, and neckbands, satisfying personalized needs. It can also free you up to 120m away from the desk, enjoying a larger workspace and bettering work experience.

Specifications

Specifications	Introduction
General	<ul style="list-style-type: none"> • 5 feature buttons • 2 micro USB 2.0 port • USB connectivity to PC and IP phone • Integrated busylight LED indicator • Charging stand (for headset)
Battery	<ul style="list-style-type: none"> • Talk time: up to 7 hours • Standby time: 54 hours • Charging time: 2.5 hours (5 V/1.2 A)
DECT	<ul style="list-style-type: none"> • Wireless range: up to 120 m/394 feet • Secure DECT (level): Step C: authentication – DSAA2, encryption – DSC2 (128 bit) • Cordless Advanced Technology: CAT-iq 2.0
Audio (Headset)	<ul style="list-style-type: none"> • Microphone type: dual microphone • Microphone sensitivity: -38.0+/-2 dBV • Microphone frequency range: 100 Hz-10 kHz • Speaker size: Φ 13.6 • Speaker sensitivity: 116+/-3 dB, 0.179 V • Speaker impedance: 32+/-4.8 Ω • Speaker max output power: 10 mW • Speaker frequency range: 20 Hz-14 kHz • Talk mode: wideband, 100 Hz~8 kHz, 16 kHz sample rate • Hearing Protection <ul style="list-style-type: none"> - Peak Block Protection (EN50332) - Australian G616 Protection (AU G616) - Daily Noise Exposure Protection
Audio (Base)	<ul style="list-style-type: none"> • Ringer size: Φ 20 • Ringer sensitivity: 87+/-3 dB, 0.1 W, 0.1 M • Ringer impedance: 8+/-1.2 Ω • Ringer max input power: 1.5 W • Ringer frequency range: 100 Hz-10 kHz
Easy Call Management	<ul style="list-style-type: none"> • Answer/End/Reject a call • Volume up/down • Microphone mute

<p>Package Features</p>	<ul style="list-style-type: none"> • Package contents: <ul style="list-style-type: none"> - Base - Headset - Headband - Power Adapter - 1.2 m USB 2.0 Cable - 0.8 m USB 2.0 Cable - Quick Start Guide • Optional accessories: <ul style="list-style-type: none"> - Busylight BLT60 - Neckband • Base: 124 g, Headset: 19 g • Qty/CNT: 10 PCS • N.W/CTN: 5.8 kg • Giftbox Size: 201 mm x 181 mm x 112 mm • Carton Meas: 592 mm x 384 mm x 220 mm
-------------------------	---

Connection



For more information, please go to the [Yealink official website](#).